

Coltrain, Katrina

From: Coltrain, Katrina
Sent: Tuesday, September 29, 2015 3:02 PM
To: 'Brittain, Amy'
Subject: RE: Wilcox Reports-bridge
Attachments: 2921704 EPA site mtg attendees.pdf

Let's call on Friday. ODOT is involved somehow. I neglected to include the sign in sheet earlier.

Katrina Higgins-Coltrain
Remedial Project Manager
US EPA Region 6
LA/OK/NM Section
1445 Ross Avenue
Dallas, Texas 75202
214-665-8143

From: Brittain, Amy [mailto:Amy.Brittain@deq.ok.gov]
Sent: Tuesday, September 29, 2015 1:23 PM
To: Coltrain, Katrina
Cc: Downham, Todd
Subject: RE: Wilcox Reports-bridge

I think this area is in district 3 (see attached map). <http://www.creekcountyonline.com/d3.htm>

Commissioner Lane Whitehouse
Email address: <mailto:lwhitehouse@creekcountyonline.com>
voice 918-367-3231
fax 918-367-6459

I am happy to call, but I do not really know very much.

If you would rather I call, maybe I can do that after we talk on Thursday?

Let me know,
Amy

From: Kottke, Rita
Sent: Tuesday, September 29, 2015 12:48 PM
To: 'coltrain.katrina@epa.gov'
Cc: Brittain, Amy; Downham, Todd
Subject: FW: Wilcox Reports-bridge

All,

I don't think ODOT has any authority of county roads and bridges. This is the responsibility of the County governments. The County Commissioner for that district needs to be informed of the issues.

Rita R. Kottke, Ph.D.
Remediation Programs Manager
Land Protection Division
Oklahoma Department of Environmental Quality

From: Brittain, Amy
Sent: Tuesday, September 29, 2015 12:42 PM
To: Kottke, Rita
Subject: FW: Wilcox Reports-bridge

FYI

From: Coltrain, Katrina [<mailto:coltrain.katrina@epa.gov>]
Sent: Tuesday, September 29, 2015 12:40 PM
To: Brittain, Amy
Subject: RE: Wilcox Reports-bridge

I have not talked with the Creek County Commissioner.

On Friday morning, I met with a host of folks. See the attached list. The concern was that oil/waste was found in the location of the bridge build. The concern is that if additional work is needed, that this material be managed so that there is no downgradient migration, the workers are protected, and the material taken from the dig managed. According to Jeff, ODOT has these procedures in place, and this is not a new issue for them.

Based on the meeting, it appears that they have procedures in place and can manage the material appropriately. I asked that we be copied on the process and the final actions taken so that we can document the work done and the mitigation steps taken.

Katrina Higgins-Coltrain
Remedial Project Manager
US EPA Region 6
LA/OK/NM Section
1445 Ross Avenue
Dallas, Texas 75202
214-665-8143

COUNTY:	PROJ NO.:	J.P. NO.:	DATE: 9/25/15
DESCRIPTION:	29212(04) Bristow Site Mtg w/ EPA		SHT. OF
CALCULATED BY:	DATE:	CHECKED BY:	DATE:

Name	Org.	Phone / Email
Jeff Pearl	ODOT-Env	(405) 522-5195 / jpearl@odot.org
Skyler Forth	ATKINS	(918) 852-0187 / Skyler.forth@atkinsglobal.com
David Edwards	ODOT-ENV	(918) 752-5341 daedwards@odot.org
R. Bredwell	Hub Inc	580-5131313 CommandHub
Katrina Higgins	Coltrain EPA	214-665-8143 coltrain.katrina@epa.gov
Mark Zishka	ODOT	918 838 9933
FRANK CHILES	ATKINS-RES ENGR	918-605-5182 F.CHILES@ATKINSGLOBAL.COM
JEFF Barker	HUB	580-566-2271

~~JEFF~~

Todd Downham, ODEQ 405-702-5136 (Check this: Todd.downham@ok.gov)